

**Special Comments**  
**for**  
**Nora Williams with MCImetro - WUA**

TYPE of Application - New Physical Collocation Installation  
HLWD West Hollywood (HLWDFLWH)  
250 SW 62nd Av.  
Hollywood, FL 33023

1. A 396 square foot enclosed space is available for a Physical Collocation arrangement installation at HLWD West Hollywood (HLWDFLWH). Please plan to post an emergency contact name and telephone number to the exterior of a physical space enclosure or attach directly to the racking of a non-enclosed physical arrangement.
2. The Space Preparation estimated cost is \$89,000. The finalized actual costs may vary from the estimated costs provided, dependent on actual work performed. The actual costs will be provided following the project work completion. The cost per the Interconnection Agreement for Space Enclosure is \$18,000. Prepay the enclosure construction cost (\$18,000) and fifty percent (50%) of the estimated cost for Space Preparation (\$44,500) with the submission of a Bona Fide Firm Order. Information in this response are cost estimates based on the application information. The finalized actual costs may differ from the estimated costs provided, dependent on actual work performed.
3. Should you decide to move forward with placing a Bona Fide Firm Order an Interdepartmental Coordination Meeting will be held to establish critical dates.
4. BellSouth provides the appropriate quantity of Point Of Termination (POT) Bays based on the requirements in Item 13 of the BSTEI-1-P form. Engineering charges for cabling to the POT Bay will be added to the space preparation charge upon receipt of the forecast.

**Special Comments**  
**for**  
**Nora Williams with MCImetro - WUA**

TYPE of Application - New Physical Collocation Installation  
ORLD-Magnolia (ORLDFLMA)  
45 N. Magnolia Av.  
Orlando, FL 32801

1. A four hundred (400) square foot enclosed space is available for a Physical Collocation arrangement installation at ORLD-Magnolia (ORLDFLMA). Please plan to post an emergency contact name and telephone number to the exterior of a physical space enclosure or attach directly to the racking of a non-enclosed physical arrangement.
2. The Space Preparation estimated cost is \$108,175. The finalized actual costs may be different from the estimated costs provided, dependent on actual work performed. The actual costs will be provided following the project work completion. The cost per the Interconnection Agreement for Space Enclosure is \$18,000. Prepay the enclosure construction cost and fifty percent (50%) of the estimated cost for Space Preparation (\$54,090) with the submission of a Bona Fide Firm Order. Information in this response are cost estimates based on the application information. The finalized actual costs may differ from the estimated costs provided, dependent on actual work performed.
3. Should you decide to move forward with placing a Bona Fide Firm Order an Interdepartmental Coordination Meeting will be held to establish critical dates.
4. BellSouth provides the appropriate quantity of Point Of Termination (POT) Bays based on the requirements in Item 13 of the BSTEI-1-P form. Engineering charges for cabling to the POT Bay will be added to the space preparation charge upon receipt of the forecast.
5. All work on electrical system or mechanisms requires AT&T approval of all construction drawings.

Please direct questions to: Jeanie Ash BellSouth Interconnection Services  
Office 770 492-7541 FAX 770 621-0632 Internet -- Jeanie.ASH@bridge.bellsouth.com

**BellSouth Application Response for Physical Collocation  
Including Service Interconnection (SI) and Expanded Interconnection Service (EIS)**

**Project Reference Number : ATLNGAEP-WUA-01**

1. An enclosed space of 400 square feet is available for a Physical Collocation arrangement installation at ATLNGAEP. Please plan to post emergency contact names and telephone numbers to the exterior of a physical space enclosure or attach directly to the racking of a non-enclosed physical arrangement. *From time to time BellSouth may require access to space occupied by collocator. BellSouth retains the right to access such space for the purpose of making equipment and building modifications, e.g., running, altering or removing racking; ducts; electrical wiring; HVAC; and cables. BellSouth will give reasonable notice to collocator when access to collocation space is required and collocator may elect to be present whenever BellSouth performs work in the collocation space. It is agreed that collocator will not bear any of the expense associated with this work*
2. The Space Preparation cost estimate is \$125,100. The Space Enclosure Construction cost is per your agreement \$18,000.
3. The finalized actual costs may differ from any cost estimates provided as they are dependent on the actual work performed or terms within your agreement. actual costs will be provided following the project work completion. Prepay the Space Enclosure Construction Cost, \$18,000 and fifty percent (50%) of the Space Preparation Estimate \$62,600. Prepayment fees must accompany a firm order to be considered a Bona Fide Firm Order. Information in this response are cost estimates based on the application information and subject to the terms, conditions and rates within your agreement.
4. Should you decide to move forward with placing a Bona Fide Firm Order a joint Interdepartmental Coordination Meeting will be held for the purpose of establishing the critical project implementation dates. At this meeting it is suggested having your collocation coordinator and the chosen BellSouth Certified Vendor present to provide input.
5. BellSouth provides the appropriate quantity of Point Of Termination (POT) Bays based on the wiring requirements found in the BSTEI-1-P form of the Bona Fide Firm Order. BellSouth does not provide wiring which exceeds the capacity of the equipment installation.
6. BellSouth normally brings overhead cable racking up to an enclosure space. Then a collocator will provide the necessary overhead cable racking within the enclosure space. If the physical collocation arrangement is within the space known as the "common physical collocation space" or the installation is without an enclosure then BellSouth will control the overhead racking placement and provide overhead racking for use by the collocator.
7. You shall have thirty (30) days from issuance of this response information to place a firm order. **This Physical Application expires on September 22, 1997** Firm Order for this application is not acceptable after this date. You will need to reapply to proceed with an arrangement at this location with a new application (BSTEI-1-P), including payment of an application fee. BellSouth will then evaluate the new application based on the current business conditions at the location.
8. To proceed to perform any work or to deliver equipment or cable within a wire center it is necessary to have an insurance certificate as proof of insurance a minimum of ten days prior to the start to BellSouth. Proof is sent to: Mrs. Billie Bridges, South Building - S9A1, 3535 Colonnade Parkway, Birmingham, Alabama 35243. An annual notification for proof of insurance to BellSouth is necessary. Normally the insurance company will make this notification for you upon your request. Access to the wire center requires proper, picture identification at all times. Access will be denied to anyone without proper identification, even if individual is known.

**BellSouth Application Response for Physical Collocation  
Including Service Interconnection (SI) and Expanded Interconnection Service (EIS)**

**Project Reference Number : TUKRGAMA-WUA-01**

1. An enclosed space of 400 square feet is available for a Physical Collocation arrangement installation at TUKRGAMA. Please plan to post emergency contact names and telephone numbers to the exterior of a physical space enclosure or attach directly to the racking of a non-enclosed physical arrangement. *From time to time BellSouth may require access to space occupied by collocator. BellSouth retains the right to access such space for the purpose of making equipment and building modifications, e.g., running, altering or removing racking; ducts; electrical wiring; HVAC; and cables. BellSouth will give reasonable notice to collocator when access to collocation space is required and collocator may elect to be present whenever BellSouth performs work in the collocation space. It is agreed that collocator will not bear any of the expense associated with this work.*
2. The Space Preparation cost estimate is \$148,100. The Space Enclosure Construction cost is per your agreement \$18,000.
3. The finalized actual costs may differ from any cost estimates provided as they are dependent on the actual work performed or terms within your agreement. actual costs will be provided following the project work completion. Prepay the Space Enclosure Construction Cost, \$18,000 and fifty percent (50%) of the Space Preparation Estimate \$74,000. Prepayment fees must accompany a firm order to be considered a Bona Fide Firm Order. Information in this response are cost estimates based on the application information and subject to the terms, conditions and rates within your agreement.
4. Should you decide to move forward with placing a Bona Fide Firm Order a joint Interdepartmental Coordination Meeting will be held for the purpose of establishing the critical project implementation dates. At this meeting it is suggested having your collocation coordinator and the chosen BellSouth Certified Vendor present to provide input.
5. BellSouth provides the appropriate quantity of Point Of Termination (POT) Bays based on the wiring requirements found in the BSTEI-1-P form of the Bona Fide Firm Order. BellSouth does not provide wiring which exceeds the capacity of the equipment installation.
6. BellSouth normally brings overhead cable racking up to an enclosure space. Then a collocator will provide the necessary overhead cable racking within the enclosure space. If the physical collocation arrangement is within the space known as the "common physical collocation space" or the installation is without an enclosure then BellSouth will control the overhead racking placement and provide overhead racking for use by the collocator.
7. You shall have thirty (30) days from issuance of this response information to place a firm order. **This Physical Application expires on September 22, 1997** Firm Order for this application is not acceptable after this date. You will need to reapply to proceed with an arrangement at this location with a new application (BSTEI-1-P), including payment of an application fee. BellSouth will then evaluate the new application based on the current business conditions at the location.
8. To proceed to perform any work or to deliver equipment or cable within a wire center it is necessary to have an insurance certificate as proof of insurance a minimum of ten days prior to the start to BellSouth. Proof is sent to: Mrs. Billie Bridges, South Building - S9A1, 3535 Colonnade Parkway, Birmingham, Alabama 35243. An annual notification for proof of insurance to BellSouth is necessary. Normally the insurance company will make this notification for you upon your request. Access to the wire center requires proper, picture identification at all times. Access will be denied to anyone without proper identification, even if individual is known.

Please direct questions to: Jeanie Ash 770 492-7541  
FAX 770 621-0632 Internet — [Jeanie.Ash@bridge.bellsouth.com](mailto:Jeanie.Ash@bridge.bellsouth.com)

Before the  
**FEDERAL COMMUNICATIONS COMMISSION**  
Washington, D.C. 20554

**RECEIVED**

NOV 25 1997

FEDERAL COMMUNICATIONS COMMISSION  
OFFICE OF THE SECRETARY

In the Matter of )

Application of BellSouth Corporation, )  
BellSouth Telecommunications, Inc. )  
and BellSouth Long Distance, Inc. )  
for Provision of In-Region, InterLATA )  
Services in Louisiana )

CC Docket No. 97-231

**Exhibit I:**  
**Affidavit of Dale Hatfield**  
**on Behalf of MCI Telecommunications Corporation**  
**in CC Docket No. 97-121**

DOCKET FILE COPY ORIGINAL

Before the  
FEDERAL COMMUNICATIONS COMMISSION  
Washington, D.C. 20554

---

In the Matter of	)	
	)	
Application of Ameritech	)	
Michigan Pursuant to Section	)	
271 of the Telecommunications	)	CC Docket No. 97-137
Act of 1996 to Provide In-	)	
Region, InterLATA Services in	)	
Michigan	)	

Exhibit H:  
Affidavit of Dale N. Hatfield  
on Behalf of MCI Telecommunications Corporation

BEFORE THE  
FEDERAL COMMUNICATIONS COMMISSION  
Washington, D.C. 20554

In the Matter of	)	
	)	
Application of Ameritech Michigan	)	CC Docket No. 97-137
Pursuant to Section 271 of the	)	
Telecommunications Act of 1996 to	)	
Provide In-Region, InterLATA Services	)	
in Michigan	)	

**AFFIDAVIT OF DALE N. HATFIELD**

**I. Introduction**

MCI Telecommunications Corporation has asked me to analyze certain issues raised by Ameritech's application, under Section 271 of the Telecommunications Act of 1996 ('96 Telecommunications Act), for authorization to provide in-region, interLATA services originating in Michigan. More specifically, they have asked me to (a) offer an opinion on the short-to-medium term prospects for competition in the provision of local exchange facilities and services, (b) describe certain technological changes that are occurring in local exchange networks, and (c) evaluate the power and ability of Ameritech to engage in anticompetitive, discriminatory activities given those prospects and technological changes.

Before presenting my summary and conclusions, I will briefly set forth my relevant experience in the telecommunications field. I am a telecommunications consultant and founder and Chief Executive Officer of Hatfield Associates, Inc., a telecommunications consulting firm. I received a Bachelor of Science degree in Electrical Engineering from Case Institute of Technology in 1960 and a Master of Science degree in Industrial Management from Purdue University in 1961. From 1963 until 1971, I was employed as a communications engineer with the Institute for Telecommunication Sciences of the U.S. Department of Commerce. Between

1971 and 1974, I held various communications policy analyst positions with the Office of Telecommunications in the Department of Commerce. In 1974, I was appointed Deputy Chief of the Office of Studies and Analysis, Office of Telecommunications Policy, Executive Office of the President. In 1975, I moved to the Federal Communications Commission, where I became Chief of the Office of Plans and Policy. In 1977, I returned to the Department of Commerce, where I became Associate Administrator for Policy Analysis and Development, National Telecommunications and Information Administration. In 1981, I was appointed Deputy Assistant Secretary of Commerce for Communications and Information and Deputy Administrator of the National Telecommunications and Information Administration.

In 1982, I left government and established my own consulting firm. For the past fourteen years, our firm has specialized in engineering, economic, and policy studies in the telecommunications field. I was the founding Director of the Telecommunications Division of the University College at the University of Denver, and I am an adjunct professor in the Graduate Program in Telecommunications at the University of Colorado at Boulder. I was also a Senior Fellow of Northwestern University's Annenberg Washington Program in Communications Policy Studies until its closing last year. For over a decade, I have taught a regular series of seminars on telecommunications technology for policymakers and regulators in Washington, D.C. I have taught similar courses for the Federal Communications Bar Association, for the National Association of Regulatory Utility Commissioners, and for other public and private entities. For the past four years, I have been teaching a series of seminars on telecommunications policy and regulation in Central and Eastern Europe. As a consultant and expert witness, I have testified before the state public utility commissions in Arizona, California, Colorado, Connecticut, Idaho,



Missouri, Nevada, New Mexico, Ohio, and Washington, as well as before the Federal Communications Commission and the Canadian Radio-television and Telecommunications Commission. I have also testified in federal court and before the Congress on antitrust and other matters.

From these activities in the public, private, and academic spheres, I am familiar with (a) the technical and economic aspects of the organization and operation of telecommunications networks in the United States and (b) the issues raised by Ameritech's application, under Section 271 of the '96 Telecommunications Act, for authorization to provide interLATA services originating in Michigan.

### **Summary and Conclusions**

I have been asked to analyze certain issues raised by Ameritech's application for authorization to provide in-region, interLATA services in Michigan. Based upon that analysis, which is described in detail herein, I have reached three fundamental conclusions:

*First*, the incumbent local exchange carriers, including Ameritech, will retain bottleneck control over the local exchange network for the foreseeable future. Hence, they will continue to have the power to discriminate against not only unaffiliated long-distance carriers but emerging, competitive local exchange carriers as well.

*Second*, technical developments in local exchange networks in terms of (a) the deployment of advanced signaling systems, (b) the related development of intelligent network architectures or software driven network elements, and (c) further developments in multimedia applications are resulting in the need for different and generally more complex forms of network interconnection. Because of the increased complexity of the required forms of interconnection, incumbent local

exchange carriers, including Ameritech, have an increased ability to discriminate and to raise unfounded claims of technical harm and technical infeasibility in the provision of advanced forms of interconnection to long-distance (and local) carriers.

*Third*, because of the first two conclusions, the incumbent local exchange carriers, including Ameritech, have the power to thwart or delay the development of advanced competitive long-distance services that are increasingly critical to interexchange carriers in differentiating their services in an intensely competitive market. These advanced forms of interconnection go far beyond the basic forms of interconnection required to achieve equal access following divestiture. Therefore, past experience with the interconnection of traditional voice and data networks will be less useful as a regulatory tool for preventing, detecting, and remedying discrimination in the future.

## **II. Prospects for Local Exchange Competition**

Over the past twenty-five years or so, competition has been successfully introduced into the customer premises equipment and long-distance portions of the telecommunications market. I attribute this success to three principal factors: (1) the striking down of legal prohibitions on competition in these two segments of the telecommunications market, (2) the lack of significant economies of scale or natural monopoly characteristics in either of the two segments, and (3) the divestiture of the Bell Operating Companies (BOCs) from AT&T and the accompanying line-of-business restrictions that reduced the incentives of the divested BOCs to use their market power to discriminate against participants in the two competitive segments.

A combination of factors has held back competition in the local telephone segment of the telecommunications market, including: (1) legal barriers to entry at the state level, (2) the massive

size of the initial investments required to duplicate the existing local exchange network infrastructure, (3) difficulties in gaining the necessary interconnection arrangements with the incumbent local exchange carriers and in obtaining needed rights-of-way, (4) unnecessary bundling and resale restrictions imposed by the incumbent local carriers, and (5), more generally, difficulties in overcoming the natural monopoly characteristics of local telecommunications networks. Thus, despite local telephone company predictions to the contrary, the degree of local competition has remained *de minimus*.

In passing the Telecommunications Act of 1996, Congress took critical steps to facilitate the development of competition in the provision of local telecommunications facilities and services. It did so by affirming the policy of relying upon competition in telecommunications generally and, more specifically, by legislating against statutory and regulatory barriers to entry, by establishing the legislative groundwork for economical and non-discriminatory interconnection arrangements, and, among other things, by prohibiting unnecessary and unfair bundling and resale restrictions. Recently, in CC Docket No. 96-98, the Federal Communications Commission (FCC) took important first steps to achieve the pro-competitive goals of the 1996 Act.<sup>1</sup> Despite these critical steps by the Congress and the FCC, I continue to have strong reservations about whether robust competition in the provision of local telecommunications services will actually develop.

My reservations stem from two factors. First, I am concerned that, unlike the situation in the long-distance and equipment manufacturing sectors of the market following divestiture, the BOCs, including Ameritech, have a strong incentive to impede competition in their core market --

---

<sup>1</sup> Local exchange carriers and some states have successfully petitioned the courts for a stay of critical portions of the FCC's order in CC Docket No. 96-98. This has created additional regulatory uncertainty for potential entrants in the local exchange market.

the provision of local exchange and exchange access services. Indeed, given the trivial amount of local competition that exists today, they not only have the incentive, but they also have the power to impede competition. Second, while striking down statutory and regulatory restrictions and eliminating or reducing other barriers to entry are *necessary*, they may not be *sufficient* to ensure the development of robust local competition. They may not be sufficient because of the enormous cost of creating multiple local telecommunications networks and the high risks associated with gaining sufficient market penetration to achieve reasonable economies of scale.

Over the past several years, our consulting firm, Hatfield Associates, Inc. (HAI), has undertaken extensive studies that address the economic feasibility of local competition developing from three alternative sources: cable television, wireless local loop, and competitive access providers.<sup>2</sup> The original study, entitled the *Enduring Local Bottleneck* (ELB-I), was completed before the passage of the '96 Telecommunications Act. In January 1996, HAI provided a qualitative assessment of the technological and marketplace changes since the publication of the original. More recently, in a report entitled the *Enduring Local Bottleneck II* (ELB-II), we updated the cable telephone and wireless local loop quantitative analysis contained in the original report.<sup>3</sup> As with ELB-I, the economic modeling suggests that firms using alternative technologies can compete with incumbent local exchange carriers such as Ameritech. The updated analysis continues to show, however, that -- even under best case scenarios -- such entry by cable and wireless companies is not very profitable and, because of the large investments required, there is a

---

<sup>2</sup> Economics and Technology, Inc./Hatfield Associates, Inc., The Enduring Local Bottleneck: Monopoly Power and the Local Exchange Carriers, 1994.

<sup>3</sup> Hatfield Associates, Inc., The Enduring Local Bottleneck II, April 30, 1997.

long delay before positive cash flow is achieved. Under these conditions, investors will be reluctant to commit large amounts of capital and, indeed, the capital resources necessary for widespread deployment of these alternative technologies may not appear.

Our analysis goes a long way in explaining, on a quantitative basis, why (1) the cable industry has apparently pulled back from full-scale telephony deployment and is focused more on providing Internet access services and on expanding and protecting their core business of delivering entertainment video programming, (2) the emerging wireless Personal Communications Service providers appear to be focused almost entirely upon competing with existing cellular mobile radio carriers rather than providing ordinary local telephone services, and (3) the competitive access providers (CAPs) still seem focused primarily on providing switched and dedicated transport services to business customers in limited -- typically downtown -- areas.<sup>4</sup> While the latter group, the CAPs, are leasing local loop and other unbundled facilities from the incumbent local exchange carriers (ILECs) in order to extend their geographic coverage, the amount of full facilities-based competition they provide is limited. In general, it is important not to confuse glowing press releases on limited market tests and premature technology "hype" with firm commitments and enduring actions by organizations with the substantial financial and technical resources to actually construct alternative networks on a ubiquitous and timely basis.

---

<sup>4</sup> AT&T recently announced a new wireless local loop technology that may turn out to be more promising than earlier developments. However, little technical or cost information on the technology has been released and hence there is no reliable way of forecasting whether and, if so, when the technology might be deployed on a widespread basis.

### **III. Technological Changes in the Local Exchange Network**

The BOCs (including Ameritech) currently have strong strategic control over how customers reach independent networks and how providers of independent networks reach their customers. As long as the BOCs have monopoly power in the local exchange market, they have the power to technically discriminate in favor of their own competitive long-distance operations. They also have the power to refuse to offer (or to delay the provision of) technically feasible forms of interconnection and unbundled network elements to competitors wishing to offer differentiated services. Moreover, certain developments in local exchange networks have increased the risk of technical discrimination since divestiture. The three most significant developments in this regard are (1) the further deployment of common channel signaling systems, (2) the development of “intelligent” or software driven networks, and (3) further developments in multimedia applications (i.e., applications that involve combinations of voice, data, image, and video traffic). These developments are described in the paragraphs which follow.

#### **A. The Deployment of Common Channel Signaling Systems**

Besides conveying the customer’s actual telephone message or conversation, a telephone network must also convey other information associated with setting up, disconnecting, and otherwise controlling the call itself. The transmission and reception of such control information between the customers and the network or between elements (e.g., switches) within the network is called signaling. Signaling is necessary for the establishment and control of connections through the network or collection of networks. An example of signaling information would be the address of the called party or an indication that the called party has “gone off-hook” or

answered the call. Such control information is needed, for example, to route the call and to properly bill for it.

Until fairly recently, signaling in the telephone network was carried within the same channel or path that carried the telephone conversation or message. This was done by sending audible (Multifrequency or "MF") tones and the technique, accordingly, was called "in-band" signaling. The more modern arrangement, which is now used extensively throughout both LEC and IXC networks, is called common channel signaling. With common channel signaling, signaling information is exchanged via a data network (actually a specialized packet-switched network) that is separate from the conversation path. In-band signaling has significant limitations compared to modern common channel switching signaling systems. Common channel signaling (CCS) and the Signaling System 7 (SS7) protocol overcomes these limitations and becomes a crucial component of not only ordinary calling, but also of current and future network-based services. Or, as summarized by a Director at Bellcore:

CCS/SS7 not only provides faster call set-up but also can be used to support a variety of services. These services include CLASS<sup>SM</sup>, Calling Name Delivery and ISDN services. CCS and SS7 also support Advanced Intelligent Network (AIN) and Personal Communications Services (PCS).<sup>5</sup>

---

<sup>5</sup> Merrell, Ann E., "CCS/SS7 - A Services Perspective," Annual Review of Communications (National Engineering Consortium, Chicago, IL, 1992), p. 599.

Current SS7-based offerings include Calling Card, 800-Number, and CLASS<sup>SM</sup> services.<sup>6</sup> The latter include automatic callback, automatic recall, calling number/name identification, selective call acceptance/rejection, distinctive ringing, customer originated call time and several others.<sup>7</sup>

Another expert notes that:

SS7 is really a *control* network, as well as a signaling network. This is important to understand, because as the Information Highway rolls out, and as the Advanced Intelligent Network (AIN) is implemented, SS7 will be relied upon almost exclusively as a means for telephone companies and other service providers to share database information and switching control without human intervention.<sup>8</sup>

Thus, while the deployment of this advanced common channel signaling system is important in its own right because of increased efficiencies in setting up, disconnecting, and otherwise controlling telephone calls, it is also critical to the development and deployment of AIN. As the author quoted immediately above notes, "Without SS7, AIN is not possible."<sup>9</sup>

SS7's expanded vocabulary, its ability to exchange signaling information independent of a call, its ability to exchange signaling information during the call, its increased speed, and its other advanced characteristics all lead to the conclusion that the interconnection of SS7-based networks is more complex than the interconnection of networks using traditional in-band signaling

---

<sup>6</sup> CLASS was originally an acronym for the term Custom Local Area Signaling Services. It is now used as a servicemark for a collection of telephone company-provided services.

<sup>7</sup> Bellcore, BOC Notes on the LEC Networks, Special Report SR TSV-002275, Issue 2, April, 1994, pp. 14-13 thru 14-19.

<sup>8</sup> Russell, Travis, Signaling System #7, McGraw-Hill Series of Computer Communications, McGraw-Hill, New York, 1995, p. xvi.

<sup>9</sup> Id.



techniques. This complexity is heightened by the expanded role that SS7 plays as a control network and central nervous system of the modern telephone network.<sup>10</sup>

B. Advanced Intelligent Network<sup>11</sup>

In the traditional telephone network, all of the instructions or service logic on how to process or route a call were contained within the local switching platform itself. This meant that, if the local exchange carrier wanted to introduce a new service, it had to wait for the manufacturers to develop the required software, and then it had to install the new software in each of its local (end office) switches. In the Advanced Intelligent Network concept, on the other hand, data bases and computer platforms called Service Control Points (SCPs) are added to the network and located at a central point outside of the existing central office switches. This allows the local exchange carrier to develop new and customized services more quickly, at lower cost, and independent of the provider of the local switching equipment. These local exchange switches, referred to as Service Switching Points (SSPs) in the AIN concept, are equipped to recognize certain triggering events such as when a subscriber dials a particular sequence of numbers, e.g., 1-800 or 1-888. When the trigger is activated, the switch (SSP) then sends a message containing

---

<sup>10</sup> In the past, the BOCs and other incumbent LECs have been able to agree on the technical arrangements for interconnecting their networks. However, it took time and it ultimately succeeded because the interexchange carriers were primarily customers, not competitors, and, hence, the BOCs had no countervailing incentive to discriminate. That would change if the BOCs were authorized to compete in the interexchange business.

<sup>11</sup> The generic term for the developments described in this section is intelligent networks. In the United States, the most prevalent deployment scenario is provided by Bellcore's Advanced Intelligent Network -- AIN -- architecture.

information about the call over the SS7 network to the remote SCP asking for instructions on how it is to be routed.<sup>12</sup> The SCP then sends the routing instructions back to the SSP.

The SCP can be used to have the call routed differently depending upon the calling or called number, the geographic location of the called party, the time-of-day, additional information requested from and provided by the person placing the call (e.g., by the network furnishing voice prompts asking the user to enter additional digits such as a Personal Identification Number -- PIN), information provided by the called party, the status of the called line, or conditions in the network. For example, all calls to a single telephone number assigned to a particular pizza restaurant chain can be routed to the nearest outlet of the chain. This can be accomplished by logic residing in the SCP utilizing the telephone number of the caller (i.e., the calling number) and information on restaurant locations stored in a data base accessible by the SCP.

Note that the Intelligent Network concept means that, in essence, the local exchange network is becoming increasingly programmable or software driven. As I suggested above, this allows the carrier to develop new and customized services more quickly and efficiently. Indeed, the AIN vision has been characterized as representing "a true software-only architecture in the public network, separating call transport from control"<sup>13</sup> and "... clearly the future of the public

---

<sup>12</sup> The logic and information necessary to route a call when a trigger is encountered does not have to reside at a remote location. It may be contained in a computer that is attached to the local switch or SSP. This device is called an Intelligent Peripheral or adjunct. Separating the service logic from the switch in this manner has significant advantages. Conceptually, the AIN architecture allows the "intelligence" to be distributed throughout the network in an optimal way -- locally (e.g., in the IP or adjunct) as well as regionally or nationally (in an SCP).

<sup>13</sup> Fried, Jeff, "Extending CTI's Reach," Telephony (October 21, 1996), p. 46.

network.”<sup>14</sup> Viewed in this way, the service logic is analogous to the application software residing in a computer (e.g., a word processing or spreadsheet program) and the basic call processing functionality is roughly analogous to an operating system (e.g., UNIX or DOS). Clearly, the interconnection of networks in the Advanced Intelligent Network environment, with the added interfaces, access to Service Logic and data bases at remote locations, and software-based programmability, is more complex than the interconnection of traditional telephone networks.

### C. Multimedia Services

With the further deployment of digital transport facilities, advanced forms of switching such as Asynchronous Transfer Mode (ATM),<sup>15</sup> multimedia information sources (servers), and multimedia-capable terminal equipment (clients), the service offerings of carriers will increasingly involve the intermixture of voice, data, image, and video traffic in a single call or computer session. Clearly the interconnection of two networks carrying interactive, multimedia traffic is much more complex than past interconnection arrangements involving just voice or data separately. For example, in an ordinary circuit switched voice call, a fixed amount of capacity or bandwidth is allocated by each interconnected network for the duration of the call. Assuring adequate capacity in this environment revolves around ensuring that there are an adequate number of fixed capacity circuits to handle the offered traffic during the busy hour. On the other hand,

---

<sup>14</sup> Glowacz, Dave, “AIN Services Get New Life in 1993,” Telephony (January 11, 1993), p. 32.

<sup>15</sup> ATM handles a mixture of traffic types (e.g., bursty or constant and delay sensitive or non-delay sensitive) by converting all of the information into a common format consisting of a sequence of fixed length cells. In other words, all of the traffic, regardless of type, is “chopped up” into short cells that are individually processed (switched).

with ATM switching and multiplexing, the exact amount of capacity or bandwidth is allocated on a moment-to-moment basis. While ATM is generally regarded as ideal for handling the very bursty and highly variable traffic associated with multimedia applications, assuring acceptable levels of service quality is inherently more difficult. With ATM, congestion control and bandwidth allocation mechanisms are much more complex because, not only does the number of "calls" or required connections vary, but the amount of capacity or bandwidth they require varies on a "real-time" basis as well. As I indicated, this significantly increases the complexity of the required interconnection arrangements between two networks.

#### **IV. Risk of Successful Discrimination**

Up to this point, two important points have been established in evaluating the power and the ability of Ameritech to engage in anticompetitive, discriminatory activities against unaffiliated long-distance carriers if they are granted authority to enter the in-region, interLATA services market prematurely. *First*, based upon the analysis contained in Section II and the updated analysis contained in ELB-II, the incumbent Local Exchange Carriers will retain bottleneck control over the local exchange network for the foreseeable future. Therefore, they have the power to discriminate against not only unaffiliated long-distance carriers but emerging local exchange carriers as well. *Second*, technical developments in local exchange networks in terms of (a) the deployment of common channel signaling systems, (b) the related development of AIN or software driven network elements, and (c) further developments in multimedia applications are resulting in the need for different and generally more complex forms of network interconnection.

In this section, I first explain how these conditions increase the risk that Ameritech and other BOCs will frustrate long-distance competition by discriminating against unaffiliated long-

distance carriers if they are permitted to enter the market. I will then explain how the example of Open Network Architecture confirms the existence of these risks.

A. Discrimination Against Unaffiliated IXC's

As described above, one major benefit of the developments in the incumbent's local exchange network is that the increased intelligence allows the individual fine tuning or customization of services to meet specific customer requirements. But this very ability to customize means that the BOCs or other incumbent local exchange carriers can "fine tune" their local exchange networks to favor (a) their own interexchange operations over their interexchange carrier competitors and/or (b) their own end user customers over the end user customers of their interexchange carrier competitors. Stated another way, the incumbent local exchange carriers, including Ameritech, will have additional -- and generally more subtle -- methods of discrimination available to them.<sup>16</sup>

The relationship between customization based upon network intelligence and the need for cooperation by the incumbent local exchange carrier can be illustrated by an example. Consider a scenario in which an important customer of Ameritech in Detroit desires a customized switched voice service. This could arise when, for example, a regional department store chain or regional financial services firm wants incoming calls to its stores or offices handled in a customized fashion based on such things as the location from which the call originates, the time of day, information entered by the caller when the call is placed, information previously stored in the network based on information supplied by the customer, and the state of the incoming lines at the various

---

<sup>16</sup> While the discussion in this section focuses on discrimination against interexchange carrier competitors, the same techniques can be used against competing local exchange carriers.

locations. With the development of the Advanced Intelligent Network as described above, Ameritech and the other BOCs now have the capabilities (and are developing even more sophisticated capabilities) for providing such customized services.

Now assume that, besides operating stores or offices in the Detroit area, this large regional customer of Ameritech also operates stores or offices throughout Michigan and, hence, wants to include incoming calls in that area in the customized service they are seeking to procure. Further assume that this important customer decides to go through a competitive bidding process for acquiring the customized service.

One component of such a customized service might be the customer's need to have its own customers reach it by dialing a special local telephone number that is the same throughout the region in which it operates. That need might stem from the customer's desire to use a single number in its regional advertising campaigns and to avoid the high charges for 800 number calling for what would otherwise typically be a local call. Another component of the service might be that the customer wants calls to the common local number to be routed to its nearest office or store during normal business hours, but to a centralized 24-hour service desk in Detroit after hours. With the traditional telephone network architecture, such service features would be difficult or impossible to provide.

Because of the importance of the customer, Ameritech would surely seek to provide this customized service, as would several long-distance carriers. To have the service work as described, however, the long-distance carriers would have to obtain the cooperation of Ameritech because of its bottleneck control of the necessary local facilities.

The nature of the required cooperation can be gleaned from considering the proposed service in a little more detail. For example, say that the customized service involved the dialing of the prefix 203 when a subscriber was calling the large customer procuring the service. Dialing 203 would result in the local switch suspending the call briefly while a Service Control Point was being queried. Using the telephone number of the calling party and customer information stored in its data base, the Service Control Point would then send a message back to the local switch serving the subscriber placing the call. The message would contain the information necessary for the local switch to route the call to the office or store nearest to the subscriber's location, or if it were after hours, to the customer's 24-hour service desk in Detroit. Thus, one basic aspect of the required cooperation is that the local switches in both Detroit and, say, the Lansing and Grand Rapids areas would have to be equipped to recognize the prefix 203 as a trigger.

Having the local switch recognize a particular dialed number as requiring AIN handling is a relatively simple example of a trigger. More complex examples might include a request to recognize an entirely different type of trigger. An example of a different type of trigger would be the occurrence of an event while the conversation is taking place, i.e., after the call has been established or setup.

The potential use of a mid-call trigger can be envisioned in conjunction with the use of "debit cards" or "telecards" for paying for long-distance telephone calls.<sup>17</sup> Telecards are not credit cards because the telecard user buys the telecard from a retailer, say at a convenience store, and pays for the long-distance calling in advance. Because of this feature, telecards are

---

<sup>17</sup> A general description of telecards and their advantages is contained in the Comments of the International Telecard Association in CC Docket No. 96-128, dated July 1, 1996. (Downloaded from <http://www.telecard.org/subfinal.html> on June 2, 1997.)

sometimes called prepaid phone cards. When the telecard user places a call, he or she must enter a number to identify and authenticate the card. The cost of the subsequent call is deducted from the remaining value of the card. In one implementation of a telecard system, the remaining value of each card is stored in a central data base. Telecard users are given a warning when the remaining balance falls below a certain amount. For example, the telecard users may be given a two-minute warning announcement before a disconnect would take place. The usefulness of the AIN architecture in providing telecard-based long-distance services should be apparent.

One problem with the use of telecards, however, is that the balance on the pre-paid card may run out during a particular call. After warning the telecard user that the balance on the card is about to be expended, it would be useful to allow the user to (a) “replenish” the card to avoid having the call prematurely terminated or (b) to enter the number of a second card that has a remaining balance. With this arrangement, instead of simply terminating the call, the user would be told to take some action to indicate his or her desire to continue the conversation. For example, the telecard user could be asked to execute a “switch-hook flash” to indicate acceptance of the option. The switch-hook flash indication from the card user would act as a mid-call trigger to start a card renewal process, e.g., to collect the additional digits to allow the call to continue.

As stated in a recent National Reliability Council report:

Access to AIN triggers implies that the local service provider’s switch is equipped with the appropriate trigger detection software and that the local service provider allows the third-party service provider the use of these triggers for call control in support of features and services. The availability of triggers for third-party access in a multi-provider environment is another key AIN issue that the industry must



address. *Without access to local switch triggers, a third party service provider's ability to offer its own AIN services is limited.*<sup>18</sup> [Emphasis added.]

These examples illustrate how the BOCs, including Ameritech, can use the much greater complexity of the local exchange network to discriminate against unaffiliated long-distance carriers in the provision of increasingly important differentiated service offerings. Ameritech has more incentive to cooperate with itself than with an unaffiliated long-distance carrier such as MCI, or to state it another way, to discriminate against the unaffiliated carrier in negotiating and agreeing to make such changes in its local switches.

This expanded ability to discriminate includes a host of other potential anticompetitive actions. For example, the BOCs can refuse to provide interconnection at critical points in their intelligent network based on alleged technical harm to the network. They can refuse to convey certain types of control messages across the AIN for the same reason or because of claims that standards for a particular message type do not exist. As illustrated above, they can refuse to provide access to local switch triggers. They can refuse to provide certain forms of interconnection unless the signaling messages pass through some type of "filter" that they control -- a filter (or mediation function as it is often referred to) that is not actually needed to ensure the integrity of the network. They can use this control over the filter to artificially restrict the message sets to those associated with the services they wish to offer or to degrade the performance of a competitor's service offerings. These degradations can result from delays in the

---

<sup>18</sup> Network Reliability Council (NRC) Reliability Issues - Changing Technologies Focus Group, Advanced Intelligent Network, Subteam Final Report, Section 5.9.1. (Reprinted in International Engineering Consortium, Intelligent Networks: Current Advances and Business Issues, Advances in Intelligent Networks Comprehensive Report Series, Vol. 2, 1997.)